# **VELO ADVANCE**



### **Functional Emergency Stretcher**





## **VELO ADVANCE**



## Functional Emergency Stretcher



Telescopic IV Pole



X-ray cassette holder



Hydraulic columns and ABS covered subframe provide easy cleaning



Oxygen cylinder holder,2 Lt (optional)



Sub frame cover integrated oxygen cylinder holder,10.t



Detachable pushing handle



5th castor enhances maneuverability



 ${\it Gas\ spring\ assisted\ backrest adjustment}$ 



File bag (optional)



Paper roll hanger (optional)



Safety belt (optional)



Left or right side arm supports (optional)



Food table (optional)

## **VELO ADVANCE**



#### **Functional Emergency Stretcher**

Full length X-ray translucent mattress platform

Possibility of X-ray examination on the stretcher by C-Arm machine on stretcher surface

Telescopic hydraulic columns

Hydraulic height adjustment.

Trendelenburg and reverse Trendelenburg functions

Gas spring assisted backrest adjustment

Castor control pedals placed on each castor for easy access

Telescopic IV pole

5th castor provides easy maneuverability during use of rough surfaces and narrow corridors

Anti-microbial, water proof, flame retardant, air-permeable mattress

Collapsible, full length side rails with safety lock mechanism

Tendelenburg / Reverse trendelenburg positions

Easily cleanable, compact laminate two section mattress platform

4 units of IV pole sockets and accessory sockets

Drainage bag holders and accessory hooks

Undercarriage compartment for folders and belongings of the patients

Excellent maneuverability in high speed with no risk of tipping over

Oxygen bottle holder integrated on ABS covered sub-frame

4 corner activated central lock mechanism

Detachable pushing bars

#### Optional Accessories:

Arm supports (left or right)
Oxygen tube holder for 2liter
Monitor platform
Safety belt
Foo d table

Viscoelastic mattress

File bag

TECHNICAL DETAILS	
Length:	213cm
Width:	72cm
Backrest Angle:	0°-75°
TR/RTR Angle:	0°-12°
Height Range (without mattress):	58-89cm
Castor Diameter:	200mm
Mattress Surface:	60x190cm
Back Section Length:	70cm
Mattress Thickness:	8cm
Weight:	130kg
Safe working Load Capacity:	250kg